## DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES OFFICE ENGINEER 1727 30<sup>th</sup> Street MS-43 P.O. BOX 168041 SACRAMENTO, CA 95816-8041 FAX (916) 227-6214 TTY 711



Flex your power! Be energy efficient!

March 22, 2013

10-SJ-26-1.1/4.6, 6.0/20.3 10-0V9204 Project ID 1000020567 ACSTP-P026(027)E

Addendum No. 2

## Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SAN JOAQUIN COUNTY IN AND NEAR STOCKTON FROM ROUTE 26/99 SEPARATION TO NORD AVENUE AND FROM THOMPSON ROAD TO WIMER ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, March 27, 2013.

This addendum is being issued to revise the Project Plans, the Notice to Bidders and Special Provisions, and the Bid book.

Project Plan Sheets 1, 2, and 3 are revised. Copies of the revised sheets are attached for substitution for the likenumbered sheets.

In the Special Provisions, Section 86-2.08E, is deleted.

In the Special Provisions, Section 86-2.18, "NUMBERING ELECTRICAL EQUIPMENT," is deleted.

In the Special Provisions, Section 86-5.01A(1), the following paragraph is added after the first paragraph.

"Loop detector lead-in cable must be Type B."

In the Special Provisions, Section 86-6.06C(1), "General," is revised as follows:

"The Contractor must remove the re-install in-roadway warning lights (IRWLs) under section 86-1.02, the details shown, and the special provisions. The manufacturer of the existing IRWL equipment is Traffic Safety Corp.."

In the Special Provisions, Section 86-6.06C(2), "In-Roadway Warning Light Extension Ring," is added as follows:

"IRWL extension rings must be manufactured of high strength steel and hot dip galvanized after fabrication per ASTM-153. The extension rings must be 1-1/5 inches in height and the diameter and bolt hole circle must match the existing base cans."

Addendum No. 2 Page 2 March 22, 2013

10-SJ-26-1.1/4.6, 6.0/20.3 10-0V9204 Project ID 1000020567 ACSTP-P026(027)E

In the Special Provisions, Section 86-6.06C(3), "Installation," is added as follows:

"Unless otherwise shown, the IRWL unit with extension ring must not extend more than 3/8 inch above the pavement surface. IRWLs must be installed under the manufacture's specifications."

In the Special Provisions, Section 86-6.06C(7), "Installation," is deleted.

In the Bid book, in the "Bid Item List," Items 17 and 18 are revised as attached.

To Bid book holders:

Replace page 3 of the "Bid Item List" in the Bid book with the attached revised page 3 of the Bid Item List. The revised Bid Item List is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum and attachment are available for the Contractors' download on the Web site:

## http://www.dot.ca.gov/hg/esc/oe/project ads addenda/10/10-0V9204

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

SHARRI BENDER EHLERT

District Director

District 6 Central Region

Attachment

## **BID ITEM LIST** 10-0V9204

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
1	070030	LEAD COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
2	120090	CONSTRUCTION AREA SIGNS	LS	LUMP SUM	LUMP SUM	
3	120100	TRAFFIC CONTROL SYSTEM	LS	LUMP SUM	LUMP SUM	
4	128652	PORTABLE CHANGEABLE MESSAGE SIGN (LS)	LS	LUMP SUM	LUMP SUM	
5	130100	JOB SITE MANAGEMENT	LS	LUMP SUM	LUMP SUM	
6	130200	PREPARE WATER POLLUTION CONTROL PROGRAM	LS	LUMP SUM	LUMP SUM	
7	150714	REMOVE THERMOPLASTIC TRAFFIC STRIPE	LF	125,000		
8	150715	REMOVE THERMOPLASTIC PAVEMENT MARKING	SQYD	5,490		
9	152423	ADJUST MONUMENT TO GRADE	EA	1		
10	152438	ADJUST FRAME AND COVER TO GRADE	EA	38		
11	152439	ADJUST FRAME AND GRATE TO GRADE	EA	7		
12	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	24,100		
13	190185	SHOULDER BACKING	TON	10,200		
14	025268	CAP HOT MIX ASPHALT DIKE	LF	490		
15	390132	HOT MIX ASPHALT (TYPE A)	TON	1,810	*	
16	390137	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)	TON	23,500		
17	394053	SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS)	STA	41		
18	025269	CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)	STA	350		
19	394060	DATA CORE	LS	LUMP SUM	LUMP SUM	
20	397005	TACK COAT	TON	160		